MSC-I- Sem-II- Oct-2016-Chemistry-Paper IV-(Analy)

QP Code: 75935

 $(2\frac{1}{2} \text{ Hours})$

[Total Marks; 60

N.B. 1) All questions are compulsory. 2) Figures to the right indicate full marks.

3) Use of logarithmic table/non programmable calculator is allowed.

Attempt any two of the following: A) Q.1

1688 OK 5088 TOTALISE In what way does Fourier transform spectroscopy differ from conventional a) spectroscopy? Discuss the advantages of the use of Fourier transform instruments.

With the help of block diagram, describe the dual wavelength h) spectrophometer. What types of samples can be analysed by it?

Enlist different types of infrared transducers. Describe pyroelectric c) transducer.

What are the multichannel transducers? Discuss Photodiode array in detail. d)

Attempt any one of the following: B)

'Methane exhibits λ_{max} at 125nm while ethane exhibits λ_{max} at 135nm.' a) Explain

A solution containing two absorbing species A and B was analyzed **b**) spectrophotometrically at two wavelengths in a 1.0cm cell. The absorbance of mixture was 0.799 and 0.165 at 530nm and 790 unit espectively. Calculate the molar concentration of two species Aand B. If the molar absorptivity of the two species at two wavelengths is as follows?

\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
ε Molar absorptivity, mol -1 dm³ cm -1	
	790nm
8829	560
988	8755
	ε Molar absorptive mo

Attempt any two of the following: Q.2 A) Name different method Reveloped to compensate matrix effects in X-ray fluorescence analysis, Describe any one in detail. Explain the use of mass spectrometer as detector in hyphenated techniques. (b) With the help of suitable diagram, explain energy dispersive instrument used in X-ray fluorescence. Name ion sources used in molecular mass spectrometry. Describe any one in (d) detail.

Attempt any one of the following: B)

Explain the term 'absorption edge 'as applied to X-ray absorption spectra. Why is the wavelength of X-ray fluorescence greater than the absorption edge?

Describe construction and working of Qudrupole mass analyzer.

4

4

4

Q. 3	A.	Attempt any two of the following	
	a)	What are ion selective electrodes? Give the characteristic properties of	
		membrane used in these electrodes.	
	b)	Give an account of Ion selective field effect transistors'.	
	c)	What are coulometric titrations? How they differ from volumetric titrations?	
	d)	What is electrogravimetry? Explain the factors affecting the nature of deposit	
		in electrogravimetry.	
	В.	Attempt any one of the fall and	0
	a)	Attempt any one of the following:	$\mathcal{O}_{\mathcal{I}}$
	4)	$Ag(s) AgCl(s), Cl(0.15M), M^{+2}(0.002M) M(s)$	
		1-B(3) 1-2B(3); C1 (0.13141); 141 (0.002141) 141(3)	
		The above cell is used for determination of M ⁺² ions by both electrograving etry and coulometry. Calculate the potential that	
		and coulometry. Calculate the potential that	
		- ·	
	1 4	(i) must be applied to prevent a current from developing in the cell when two	
		electrodes are connected.	
		(ii) must be applied to cause an electrolytic current of 2.0m to develop.	
s•3	e = #	A	
		· · · · · · · · · · · · · · · · · · ·	
		Given: $E^0_{A_g-A_gCVCI-} = 0.222V$	
		-0 21303 RT 0:0,0502 at 298 K	
		Given: $E^0_{Ag-AgCI/CI-} = 0.222V$ $E^0_{Cd/Cd+2} = -0.403V \text{ and } \frac{2 \cdot 303 RT}{F} \stackrel{?}{\searrow} 0 \cdot 0.592 \text{ at } 298 \text{ k}$	
	b)	Calculate the time required for a constant current of 1.85 A to deposit 0.485g	4
	•	of	
		(i) elementa Cobalt on a surface of cathode.	
		(ii) Co ₃ O ₄ on an anode.	
		Assume 100% current efficiency for both cases.	
		(At wt of Co = 58.9 O = 16 , 1. Fanaday = $96,500$ C)	
0.4	4)	Attempt any two of the following:	
Q.4	A) a)	Derive Ilkovic equation stating with Cottrell equation	4
	b)	Give an account of differential pulse polarography.	4
	c)	Define: Half wave petential. Explain the effect of complex formation on half	4
		wave potential of a metal ion	
	d)	What is stripping analysis? What is the purpose of electrodeposition in	4
		stripping analysis? Why are stripping methods more sensitive than other	
		voltammetria methods?	
	B)	Attempt any one of the following:	
	a)	Discuss the inorganic applications of polarographic methods.	4
	b)	Calculate the concentration of Cd ⁺² ions in a solution which gave a diffusion	4
		gurrent of 74µA.	
		Given: Diffusion coefficient for Cd ⁺² = 7.6 x 10 ⁻³ cm ² s ⁻¹ , Rate of flow of	
	1	mercury drops = 4.0mg s ⁻¹ , drop time = 3.0 s	
	0/1	 그는 그 병으로 가장하는 것으로 하는 사람들이 있습니다. 사람들이 함께 전혀 통해 있는 것이다. 	

A values in UV-visible spectroscopy.

A dwavelength dispersive X-ray fluorescence

A lie of mass spectrometry.

A rane electrode used for determination of divalent metal

A veen apparentatic coulometry and potentiostatic coulometry.

A values in UV-visible spectroscopy.

And wavelength dispersive X-ray fluorescence

A ween apparentation coulometry and potentiostatic coulometry.

A values in UV-visible spectroscopy.

And wavelength dispersive X-ray fluorescence

A value in unit in u